

Dogfish shark dissection lab answer

dogfish shark dissection lab answer Dissection labs are integral to understanding the anatomy and physiology of marine animals, especially for students studying marine biology, zoology, or comparative anatomy. The dogfish shark, a common model organism in dissection labs, provides valuable insights into the vertebrate body plan, organ systems, and evolutionary adaptations. If you are preparing for a dissection or reviewing lab results, understanding the typical answers and procedures is essential. This comprehensive guide aims to provide a detailed dogfish shark dissection lab answer, covering key anatomical features, dissection steps, and common questions students encounter.

Introduction to the Dogfish Shark Anatomy

The dogfish shark (*Squalus acanthias*) is a small species of shark that inhabits temperate and subarctic waters. Its body structure is well-suited for studying vertebrate anatomy due to its preserved features that mirror those of other vertebrates, including humans.

Key features include:

- External features** such as fins, gill slits, and mouth
- Internal organ systems** like the digestive, respiratory, circulatory, reproductive, and nervous systems
- Adaptations** for aquatic life, including the cartilage skeleton and sensory organs

Dissection Steps and Corresponding Answers

Following a systematic dissection procedure ensures a thorough understanding of shark anatomy. Below are the typical steps along with detailed answers to common questions.

- 1. External Examination**
Identify and label the fins: dorsal fins (dorsal 1 and dorsal 2), pectoral fins, pelvic fins, anal fin, and caudal (tail) fin. Observe the body shape and skin features: rough, sandpaper-like texture due to placoid scales. Locate the mouth, gill slits, and nares (nostrils).
Answer: The shark's external features facilitate movement, respiration, and sensory perception. The pectoral fins aid in steering, the dorsal fins provide stability, and the caudal fin propels the shark forward.
- 2. Opening the Body Cavity**
Make a ventral incision from the cloaca to the head, carefully avoiding internal organs. Reflect the skin and muscles to expose internal structures.
Answer: The ventral incision allows access to internal organ systems, revealing the digestive, reproductive, and circulatory organs.
- 3. Identifying the Digestive System**
Locate the stomach: a J-shaped organ situated anterior to the liver. Identify the liver: a large, lobed, dark-colored organ providing buoyancy. Find the intestines: coiled tube extending from the stomach. Examine the pancreas: a diffuse gland located near the stomach. Locate the cloaca: posterior opening for excretory and reproductive wastes.
Answer: The digestive system efficiently processes food, with the liver secreting bile and storing nutrients, and the stomach breaking down food through enzymatic digestion.
- 4. Examining the Respiratory System**
Identify the gill slits: five pairs of slit-like openings on each side of the head. Observe the gill arches and filaments: structures within the gill slits responsible for gas exchange. Note the location of the spiracles: small openings behind the eyes that aid in respiration.
Answer: The gill slits facilitate respiration by allowing water to flow over the gill filaments, where oxygen diffuses into the blood and carbon dioxide diffuses out.
- 5. Circulatory System**
Locate the heart: a dark, elongated organ situated ventrally, just posterior to the gills. Identify the major blood vessels: ventral aorta, dorsal aorta, and cardinal veins. Understand the pathway of blood flow: from the heart to the gills (gas exchange), then to the body.
Answer: The closed circulatory system of the dogfish shark efficiently transports oxygen and nutrients throughout

its body, with the heart pumping deoxygenated blood to the gills and oxygenated blood to the tissues.

6. Reproductive System Identify the male or female reproductive organs:
Males: claspers (extensions of the pelvic fins) and testes
Females: ovaries and uteri
Locate the cloaca: common opening for excretory and reproductive systems.
Answer: Reproductive organs are paired; males have claspers used during mating, while females have ovaries that produce eggs.

7. Nervous System and Sensory Organs Locate the brain: situated in the head, protected by the skull. Identify the spinal cord: runs along the dorsal side of the body. Examine the eyes, lateral line system, and olfactory sacs: sensory structures for vision, detecting vibrations, and smell.
Answer: These sensory organs help the shark detect prey, navigate, and respond to its environment effectively.

Common Questions in a Dogfish Shark Dissection Lab and Their Answers
Q1: Why are sharks' skeletons made of cartilage instead of bone?
Answer: Sharks have cartilage skeletons because cartilage is lighter and more flexible than bone, aiding in buoyancy and agility in water. This adaptation reduces overall body weight and allows for easier movement through aquatic environments.
Q2: What is the function of the liver in the shark?
Answer: The liver produces oils that help in buoyancy, stores nutrients, and aids in digestion by secreting bile. Its large size is vital for maintaining the shark's position in the water column.
Q3: How does the shark breathe underwater?
Answer: Sharks breathe by drawing water through their mouth and over their gill filaments via the gill slits. The water exits through the gill openings, allowing oxygen to diffuse into the blood and carbon dioxide to exit.
Q4: What are the main differences between the digestive system of a shark and a human?
Answer: While both have similar organs like the stomach and intestines, sharks have a more simplified and streamlined digestive tract, with a large liver for buoyancy and a cloaca serving multiple functions. Their digestion is adapted for a carnivorous diet, often requiring rapid processing of high-protein prey.
Q5: Why do sharks have multiple gill slits instead of a single gill opening?
Answer: Multiple gill slits increase the surface area for gas exchange, allowing the shark to efficiently extract oxygen from water. This adaptation supports their active predatory lifestyle.

Additional Tips for Successful Dissection and Study
Use sharp dissection tools to avoid damaging delicate organs.
Label all organs and structures as you identify them to reinforce learning.
Compare your findings with diagrams and models for better understanding.
Handle specimens gently to preserve tissue integrity.
Review the functions of each organ system after dissection to connect structure with function.

Conclusion
A successful dogfish shark dissection provides a window into the complex anatomy of cartilaginous fish and offers insights into vertebrate evolution. By understanding the key features and functions of the shark's organ systems, students can appreciate the adaptations that enable sharks to thrive in aquatic environments. The dogfish shark dissection lab answer serves as a valuable study resource, helping students interpret their observations and deepen their understanding of marine vertebrate anatomy. Remember, meticulous dissection and careful observation are crucial for learning. Use diagrams and lab manuals to verify your findings, and always approach dissections with respect for the specimen and the scientific process.

Dogfish shark dissection lab answers: An In-Depth Exploration of Marine Anatomy and Educational

Insights Understanding the anatomy of marine organisms offers invaluable insights into evolutionary biology, physiology, and ecological adaptability. Among these, the dogfish shark serves as a quintessential model for dissecting cartilaginous fish anatomy due to its accessibility, manageable size, and representative features. This article provides a comprehensive, analytical overview of the typical dissection lab experience centered around the dogfish shark, offering detailed explanations, common findings, and educational interpretations. Whether you're a student, educator, or marine enthusiast, this review aims to clarify the essential aspects of dissecting the dogfish shark and understanding its biological significance.

Introduction to the Dogfish Shark and Its Significance in Dissection Labs

Why the Dogfish Shark? The dogfish shark (*Squalus acanthias*) is a small, bottom-dwelling, pelagic species widely used in marine biology education. Its cartilaginous skeleton, relatively simple organ systems, and evolutionary position make it an ideal candidate for dissection. Unlike bony fishes, sharks possess a durable yet flexible cartilage skeleton, offering students a unique perspective on vertebrate anatomy.

Educational Objectives of the Dissection

Dissection labs aim to:

- Identify and understand major organ systems, including the digestive, circulatory, respiratory, reproductive, and nervous systems.
- Recognize comparative anatomy features between sharks and other vertebrates.
- Develop skills in anatomical terminology and dissection techniques.
- Appreciate the adaptations that enable sharks to thrive in their ecological niches.

Preparation and Safety Guidelines

Before beginning dissection, students must follow safety protocols:

- Wear gloves, goggles, and lab aprons.
- Handle sharp instruments carefully.
- Properly dispose of biological waste.
- Label specimens accurately to prevent confusion.

Preparation involves:

- Examining the external anatomy.
- Noting the shark's size, coloration, and distinctive features.
- Reviewing anatomical diagrams for orientation.

External Anatomy and Initial Observations

Key External Features

The dogfish shark's external anatomy provides clues about its lifestyle:

- Body Shape:** Streamlined and fusiform, reducing water resistance.
- Fins:** Pectoral fins (for maneuvering), dorsal fins (for stability), a caudal fin (tail, for propulsion), and a pelvic fin.
- Gills:** Several gill slits located on each side of the head, typically five to seven.
- Snout and Mouth:** The pointed snout houses electroreceptors, and the mouth contains rows of sharp teeth for grasping prey.
- Eyes:** Positioned dorsally, providing a wide field of view.

External Dissection Goals

During initial dissection, students learn to:

- Identify body landmarks.
- Make precise incisions to access internal organs without damaging them.
- Observe external features for later correlation with internal anatomy.

Internal Anatomy and Major Organ Systems

1. The Digestive System

The shark's digestive tract reflects its carnivorous diet.

Key Structures:

- Mouth and Pharynx:** Entry point for food; equipped with rows of replaceable teeth.
- Esophagus:** A short tube leading to the stomach.
- Stomach:** A J-shaped organ where chemical digestion begins; often distinguished by rugae (folds).
- Liver:** A large, lobed organ that secretes bile and aids in digestion. The liver is usually fatty and may be dissected into lobes.
- Intestines:** Coiled tube where nutrients are absorbed.
- Rectal Gland:** Located near the cloaca; involved in osmoregulation, secreting concentrated salt solutions.
- Spiral Valve:** Located within the intestine, increasing surface area for absorption.

Analytical Notes: The prominence of the liver reflects its role in buoyancy regulation via oil content. The spiral valve is a notable adaptation, increasing digestive efficiency in a relatively short gut.

2. The Circulatory System

The shark's circulatory system is a closed, single-loop system with a well-developed heart.

Key Structures:

- Heart:** Located ventrally,

anterior to the liver; has two main chambers?atrium and ventricle.Blood Vessels: Including the dorsal aortae, ventral aortae, and branchial arteries.Gills: Located behind the head, where gas exchange occurs. The afferent branchial arteries carry deoxygenated blood to the gills; efferent arteries carry oxygenated blood to the body.Analytical Notes:The single-loop system ensures efficient oxygenation suited for active predation.The presence of a spiral valve within the intestine also aids in circulation by facilitating the movement of blood in some internal vessels.

3. The Respiratory System

The shark's gills are essential for respiration.Features:Gill Slits: Usually five to seven pairs, protected by gill covers called opercula (although sharks lack opercula, unlike bony fishes).Gill Filaments and Lamellae: Increase surface area for gas exchange.Countercurrent Flow: Blood flows opposite to water movement over gill filaments, maximizing oxygen uptake.Analytical Notes:The efficiency of the shark's gill system exemplifies adaptations for aquatic respiration without a lung system.Dissection of the gill arches reveals the relationship between structure and function.

4. The Nervous System

The shark's nervous system is highly developed to coordinate movement and sensory input.Key Structures:Brain: Located within the skull, with regions including the forebrain, midbrain, and hindbrain.Spinal Cord: Runs along the dorsal side of the vertebral column.Sensory Organs: Including the lateral line system (detects vibrations), olfactory sacs (smell), and eyes.Analytical Notes:The lateral line system is an adaptation for detecting prey and navigating murky waters.The brain's size and complexity reflect the shark's predatory behavior.

5. The Reproductive System

Sharks exhibit diverse reproductive strategies, including oviparity, ovoviviparity, and viviparity.In Male Sharks:Claspers: Paired reproductive organs used to inseminate females.In Female Sharks:Ovaries and Oviducts: Eggs develop here.Uterus: In some species, developing embryos are nourished via placental structures.Dissection Focus:Identifying reproductive organs and understanding reproductive adaptations.

Additional Structures and Systems

Endocrine System

The endocrine system regulates shark physiology via glands such as the pancreas and the thyroid.The pancreas appears as a diffuse structure near the stomach, involved in digestion and blood sugar regulation.

Excretory System

The kidneys are paired, elongated organs along the dorsal body cavity, involved in osmoregulation and waste elimination.The rectal gland also plays a role in salt excretion.

Musculoskeletal System

The cartilaginous skeleton provides support and flexibility.Muscles are arranged in segments, enabling powerful swimming motions.

Common Dissection Challenges and Tips

Preservation and Fragility: The shark's tissues can be delicate; handle with care.**Identifying Structures:** Use anatomical diagrams as references.**Incision Techniques:** Make precise cuts to avoid damaging vital organs.**Distinguishing Similar Structures:** For example, differentiating between the liver lobes and the stomach.

Educational Significance and Broader Implications

Dissecting the dogfish shark offers profound educational benefits:It illustrates the evolutionary link between cartilaginous fish and other vertebrates.It highlights adaptations to an aquatic environment, such as gill respiration and the spiral valve.It fosters practical skills in anatomy, dissection, and scientific observation.Furthermore, understanding shark anatomy can inform conservation efforts, as sharks face numerous threats from overfishing and habitat destruction.Knowledge gained from dissection enhances appreciation for their biological complexity and ecological importance.

Conclusion

The dissection of the dogfish shark is an enriching experience that deepens understanding of vertebrate anatomy and marine biology. Through detailed exploration of

its organ systems?digestive, circulatory, respiratory, nervous, reproductive, and more?students gain insight into the evolutionary innovations that have allowed sharks to persist for hundreds of millions of years. The answers derived from such labs not only serve as educational tools but also inspire respect for these fascinating creatures and the importance of marine conservation.By thoroughly examining each structure and understanding its function within the context of the shark?s ecology, learners can appreciate the complexity of marine life and the significance of anatomical studies in biological sciences. The "dogfish shark dissection lab answers" represent more than mere key points?they embody a window into the evolutionary history, adaptation strategies, and ecological roles of one of the ocean?s most enduring predators.

QuestionAnswer

What are the key external features to identify during a dogfish shark dissection?

Key external features include the dorsal and ventral fins, pectoral fins, pelvic fins, the caudal (tail) fin, the gill slits, and the mouth with its rows of teeth. Noticing these helps in understanding the shark's anatomy and functions.

How do you properly prepare the shark for dissection?

Begin by placing the shark on a dissecting tray, securing it with pins if necessary. Use scissors to carefully cut along the ventral side and expose internal structures, ensuring to follow anatomical landmarks and handle tissues gently to preserve delicate organs.

What internal organs are most important to identify and study in a dogfish shark dissection?

Important internal organs include the liver, stomach, intestine, gonads (ovaries or testes), heart, and the spiral valve within the intestine. These organs are crucial for understanding the shark?s digestive, reproductive, and circulatory systems.

How does the structure of the shark's liver aid in its buoyancy?

The shark's liver contains large amounts of oil that is less dense than water, providing buoyancy. This helps the shark maintain position in the water column without expending much energy.

What is the function of the spiral valve in the shark's intestine?

The spiral valve increases the surface area for absorption and slows down the passage of food, allowing for more efficient digestion and nutrient absorption within the limited space of the intestine.

Why is it important to identify the shark's gill slits during dissection, and how many are typically present?

Identifying the gill slits helps in understanding respiratory structures; typically, a dogfish shark has five pairs of gill slits. Recognizing them is important for studying how sharks breathe by passing water over their gills for oxygen exchange.

Related keywords: dogfish shark anatomy, shark dissection steps, marine biology lab, shark external features, shark internal organs, shark dissection guide, fish anatomy lab, shark classification, shark sensory organs, marine animal dissection

Dogfish shark dissection answers

dogfish shark dissection answers are essential for students and enthusiasts seeking to understand the anatomy and physiology of this fascinating marine creature. Dissecting a dogfish shark provides a hands-on opportunity to explore vertebrate structures, appreciate evolutionary adaptations, and enhance comprehension of marine biology concepts. Whether preparing for a class assignment, studying for an exam, or simply satisfying curiosity about shark biology, accurate dissection answers serve as a valuable guide. This comprehensive guide aims to walk you through the key aspects of shark dissection, offering detailed explanations of the main anatomical features, functions, and common questions encountered during dissection.

Understanding the Purpose of a Dogfish Shark Dissection

Dissection of a dogfish shark isn't merely about cutting open a specimen; it is a window into understanding vertebrate anatomy, evolutionary biology, and adaptations to aquatic life. It allows students to:

- Identify and examine internal and external structures.
- Learn the organization of organ systems.
- Understand the relationship between form and function.
- Gain practical laboratory skills.

Dissection answers help clarify the location, structure, and function of various shark organs, providing a clearer picture of how sharks survive and thrive in their environments.

External Anatomy of the Dogfish Shark

The external features are the first clues to understanding the shark's adaptations. Familiarity with external anatomy is crucial before proceeding to internal dissection.

Main External Features

- Snout (Rostrum):** The pointed anterior part of the shark's head, used for sensing and probing.
- Gills:** Five pairs of gill slits located on each side of the head, used for respiration.
- Eyes:** Located on the sides of the head, providing a wide field of vision.
- Spiracles:** Small openings behind the eyes that allow water to pass over the gills when the mouth is closed, especially important during feeding or resting.
- Pectoral fins:** Paired fins on each side, aiding in steering and balance.
- Pelvic fins:** Located on the underside, important for stability and steering.
- Claspers:** Reproductive organs on the males, located near the pelvic fins.
- Caudal fin (Tail)**

fin): The largest fin used for propulsion, with a heterocercal shape (upper lobe longer than lower). Skin: Covered with placoid scales or dermal denticles, giving it a rough texture and reducing drag.

Internal Anatomy and Organ Systems

Dissection answers focus heavily on understanding internal organ placement and function. The shark's body cavity houses systems vital for survival.

Respiratory System The shark breathes through its gills, which are externally visible but internally connected to the gill arches and filaments.

Gills: Located within the gill chambers, composed of gill arches supporting gill filaments.

Gill Slits: Openings that allow water to flow over the gills, facilitating gas exchange.

Circulatory System The shark's circulatory system is centered around the heart and blood vessels.

Heart: A two-chambered organ (one atrium and one ventricle) located near the liver.

Blood Vessels: Including the ventral aorta, afferent and efferent branchial arteries, dorsal aorta, and cardinal veins.

Blood Function: Delivers oxygen and nutrients, removes wastes, and maintains blood pressure.

Digestive System The digestive organs are arranged efficiently within the body cavity.

Mouth: Located at the ventral part of the head, with rows of sharp teeth.

Pharynx: Connects the mouth to the esophagus.

Esophagus: Transports food from the mouth to the stomach.

Stomach: Large, J-shaped organ responsible for digestion.

Intestines: Further nutrient absorption, with the spiral valve increasing surface area.

Liver: Large, dark organ that produces bile and aids in digestion.

Pancreas: Produces digestive enzymes and insulin.

Rectal Gland: Regulates salt balance.

Excretory System

Kidneys: Two elongated organs filtering waste from blood.

Cloaca: Common chamber for excretion, reproduction, and waste elimination.

Reproductive System Depending on sex, the internal reproductive organs differ.

Male: Testes near the kidneys, with claspers extending from the pelvic fins.

Female: Ovaries and oviducts leading to the cloaca.

Common Dissection Answers to Key Questions

Understanding typical questions during a shark dissection helps clarify complex structures.

1. How do you identify the shark's gender? Answer: Males have claspers?paired, rod-like structures extending from the pelvic fins?used for mating. Females lack claspers.

2. Where are the gills located and how do they function? Answer: The five pairs of gill slits are located on each side of the head, behind the eyes. Water enters through the mouth or spiracles and passes over the gill filaments for oxygen exchange.

3. What is the function of the liver? Answer: The large, dark liver produces bile, stores energy, and helps in buoyancy regulation due to the presence of squalene.

4. How does the shark's circulatory system work? Answer: Blood is pumped from the heart into the ventral aorta, then to the gill arches for oxygenation. Oxygenated blood flows into the dorsal aorta to supply body tissues.

5. What are the main components of the shark's digestive system? Answer: Mouth, pharynx, esophagus, stomach, spiral valve intestine, liver, pancreas, and cloaca.

Step-by-Step Guide to a Typical Shark Dissection

Performing the dissection methodically ensures accurate identification and understanding.

Preparation Gather tools: scissors, scalpel, forceps, dissecting pins, gloves, and tray.

Position the shark ventral side up on the dissection tray.

External Examination Observe and note external features. Identify fins, gill slits, eyes, spiracles, and reproductive organs.

Initial Internal Opening Make a midventral incision from the cloaca to the snout. Carefully cut through the skin and muscle layer, avoiding internal org

Dogfish Shark Dissection Answers: An In-Depth Guide to Understanding Marine Anatomy

Embarking on a dogfish shark dissection is an invaluable experience for students and enthusiasts seeking to understand the intricate details of marine vertebrate biology. The process not only enhances comprehension of anatomical structures but also fosters appreciation for evolutionary adaptations in aquatic life. With comprehensive dissection answers, students can confidently identify, analyze, and interpret the various systems within the shark, making the learning process both effective and engaging.

Overview of the Dogfish Shark Dissection

The dissection of a dogfish shark offers a window into the complex design of a cartilaginous fish. Unlike bony fishes, sharks possess a skeleton made of cartilage, which provides both flexibility and strength. The dissection process typically covers major systems such as respiratory, circulatory, digestive, reproductive, nervous, and muscular systems. Proper understanding of each system's components and their functions is essential for a holistic grasp of shark biology.

Preparation and Safety Considerations

Before diving into the dissection, proper preparation ensures safety and effective learning:

Tools Needed: Scalpels, scissors, forceps, dissecting pins, probes, gloves, and dissection trays.

Safety Tips: Wear gloves to prevent contact with preserved tissues. Handle sharp instruments carefully. Dispose of biological waste properly.

Dissection Tips: Follow step-by-step guides or instructions. Label structures carefully to avoid confusion. Take notes or photographs for reference.

Key Structures in a Dogfish Shark Dissection

Understanding the main anatomical features provides a foundation for answering dissection questions effectively.

External Features

Snout (Rostrum): The pointed extension at the front of the shark.

Gills: Openings used for respiration.

Pectoral and pelvic fins: Provide mobility and stability.

Caudal fin: The tail fin aiding in propulsion.

Internal Features

Mouth and Oral Cavity: Contains teeth and is connected to the digestive system.

Gill Arches and Filaments: Responsible for respiration.

Nasal Openings: For olfaction (sense of smell).

Heart: Located ventrally behind the gills.

Liver: Large and lobed, aids in buoyancy.

Stomach and Intestines: Involved in digestion.

Reproductive Organs: Ovaries or testes, depending on sex.

Nervous System: Brain and spinal cord.

Dissection Answers by System

Below is a detailed breakdown of the major systems, common questions, and their corresponding answers.

Respiratory System

Question: How does a dogfish shark breathe?

Answer: The shark breathes by passing water through its mouth and over its gill filaments, where gas exchange occurs. Water enters through the mouth, flows over the gill arches and filaments, and exits through the gill slits. The operculum (a flap covering the gills in bony fishes) is absent in sharks; instead, they rely on multiple gill slits—usually five to seven—to facilitate breathing.

Features: Gills are supported by gill arches. Gill filaments are rich in capillaries for oxygen absorption.

Pros: Efficient respiration suited for active predation. Multiple gill slits increase surface area for gas exchange.

Cons: Water flow must be continuous; sharks cannot breathe while stationary unless they actively swim.

Circulatory System

Question: Describe the circulatory system of the dogfish shark.

Answer: The shark has a closed circulatory system with a single loop. Blood is pumped from the ventrally located heart, which consists of a sinus venosus, atrium, and ventricle, into the ventral aorta, then to the gill arches for oxygenation. From the gills, oxygenated blood flows through the dorsal aorta to the rest of the body, delivering nutrients and oxygen before returning to the sinus venosus.

Features: Two-chambered heart (one atrium and one ventricle). Blood is oxygenated at the

gills. Pros: Efficient system for active aquatic predators. Single circuit simplifies circulation. Cons: Less efficient than double circulatory systems in bony fishes and mammals for maintaining high blood pressure.

Digestive System Question: What are the main components of the digestive system in a dogfish? Answer: The digestive system begins at the mouth, where food is ingested. It includes the esophagus, stomach, pyloric sphincter, intestines, liver, pancreas, and cloaca. The liver produces bile to aid in digestion, and the pancreas produces enzymes. The stomach is U-shaped, and the intestines are coiled to maximize nutrient absorption. Features: Spiral valve within the intestine increases surface area for absorption. The stomach is capable of storing large amounts of food. Pros: Adapted for a carnivorous diet with strong teeth and digestive enzymes. Spiral valve allows for efficient nutrient extraction. Cons: Limited ability to digest plant material. Short digestive tract compared to herbivores.

Reproductive System Question: How can you tell if a dogfish shark is male or female? Answer: In males, the pelvic fins contain claspers?paired, modified fins used to transfer sperm during mating. They appear as elongated, tube-like structures near the cloaca. Females lack claspers; their pelvic fins are not modified. Features: Claspers are located near the cloaca. Females may have a more prominent urogenital opening. Pros: Claspers facilitate internal fertilization effectively. External differences allow easy sex determination. Cons: Claspers can sometimes be mistaken if not examined carefully.

Nervous System Question: What are the main parts of the shark's nervous system? Answer: The central nervous system comprises the brain and spinal cord. The brain is relatively large, divided into regions controlling sensory processing, motor functions, and behavior. The spinal cord runs along the length of the body, transmitting signals between the brain and the rest of the body. Features: Well-developed olfactory lobes for smell. Large optic lobes for vision. Pros: Enhanced sensory capabilities support predatory behavior. Neural structures are adapted for aquatic life. Cons: Limited cognitive capacity compared to mammals.

Muscular System Question: How is the muscular system organized in a dogfish shark? Answer: The shark's muscles are segmented and arranged to facilitate movement. The myomeres are W-shaped muscle blocks running along the body, providing flexibility and powerful contractions necessary for swimming. Features: Myomeres are separated by connective tissue called myosepta. Muscles work in coordinated patterns for locomotion. Pros: W-shaped arrangement allows for efficient swimming. Muscular flexibility aids in maneuverability. Cons: Muscular fatigue can limit endurance.

Common Dissection Challenges and Tips Identifying Structures: Use anatomical guides and labels; compare with diagrams. Handling Tissues: Be gentle to prevent tearing, especially in delicate gill filaments. Maintaining Orientation: Keep track of dorsal/ventral and anterior/posterior orientations. Labeling: Use tags or labels for clarity during and after dissection.

Conclusion: Making the Most of Your Dissection Experience A thorough understanding of dogfish shark dissection answers equips students with the confidence to identify and explain complex anatomical features. Each system offers insights into evolutionary adaptations, survival strategies, and biological functions. While the process can be challenging, patience and careful observation are key. Dissections foster a deeper appreciation for marine life and improve comprehension of vertebrate anatomy and physiology. Whether for academic purposes or personal curiosity, mastering dissection answers enhances learning and ignites curiosity about the natural world beneath the waves.

QuestionAnswer

What are the main external features of a dogfish shark examined during dissection?

The main external features include the dorsal fins, pectoral fins, pelvic fins, the caudal (tail) fin, gill slits, and the mouth with rows of teeth. These features help the shark in movement, stabilization, and respiration.

How do you identify the internal organs of a dogfish shark during dissection?

Internal organs are identified by carefully opening the body cavity. Key organs include the liver (large and dark), the stomach (located near the liver), the intestines, the heart (near the gills), and the reproductive organs. Using diagrams and careful exploration aids accurate identification.

What is the function of the shark's liver, and how is it visualized during dissection?

The liver produces oils that aid in buoyancy and energy storage. It appears as a large, dark, lobed structure occupying most of the abdominal cavity and is easily recognized during dissection.

How can you differentiate between the shark's respiratory and circulatory organs during dissection?

The gills are the respiratory organs, located behind the head, covered by the gill slits. The heart is a muscular, reddish structure situated anteriorly near the gill region, responsible for circulating blood.

What is the significance of the shark's cloaca, and where is it located?

The cloaca is a common opening for the digestive, excretory, and reproductive systems. It is located ventrally at the posterior end of the shark's body, just before the tail.

During dissection, how do you examine the shark's reproductive organs?

Reproductive organs are located near the dorsal fin area for males (claspers) and the ovaries for females. Carefully removing surrounding tissues reveals these structures, which are essential for understanding shark reproduction.

What are the key differences between male and female dogfish sharks observed during dissection?

Males have claspers?paired, elongated pelvic fins used in mating?while females lack claspers and have larger, more developed ovaries. These features help distinguish sex in dissections.

How does the structure of the shark's jaw and teeth aid in its feeding habits?

The shark's jaws are highly mobile with multiple rows of sharp, serrated teeth that are replaced continuously. This structure allows the shark to grasp, cut, and swallow prey efficiently, reflecting its carnivorous diet.

What safety precautions should be taken during a dogfish shark dissection?

Always handle sharp instruments carefully, wear gloves to protect against bacteria, work on a stable surface, and dispose of biological waste properly. Following safety guidelines ensures a safe and educational dissection experience.

Related keywords: dogfish shark anatomy, shark dissection guide, fish anatomy worksheet, shark dissection answers, marine biology lab, shark anatomy quiz, dissection procedures, shark structure identification, fish anatomy answers, shark dissection steps

Dogfish and perch differences and similarities

Dogfish and Perch Differences and Similarities When exploring the diverse world of aquatic life, two species that often pique the interest of fishermen, marine biologists, and hobbyists alike are the dogfish and the perch. While both are popular among anglers and hold ecological significance in their respective habitats, these fish exhibit notable differences in their physical characteristics, behavior, habitat preferences, and dietary habits. Despite these differences, they also share certain similarities, such as being important components of their ecosystems and having unique adaptations that enable their survival in diverse environments. This article provides a comprehensive comparison of dogfish and perch, highlighting their key differences and similarities for a better understanding of these fascinating species.

Overview of Dogfish and Perch What is a Dogfish? Dogfish refers to several species of small to medium-sized sharks belonging to the order Squaliformes. They are often found in temperate and cold waters worldwide and are known for their elongated bodies, sharp teeth, and resilient nature. Among the most common species is the spiny dogfish (*Squalus acanthias*), which is frequently encountered in commercial fishing and scientific research.

Key Characteristics of Dogfish: Belong to the shark family, specifically the Squalidae family. Typically measure between 1 to 4 feet in length, depending on the species. Have a slender, elongated body with a pointed snout. Possess two dorsal fins, often with spines. Are cartilaginous fish, meaning their skeletons are made of cartilage rather than bone. Feed primarily on small fish and invertebrates.

What is a Perch? Perch is a common freshwater fish belonging to the family Percidae.

The most widely recognized species is the European perch (*Perca fluviatilis*), which inhabits lakes, rivers, and ponds across Europe and parts of Asia. In North America, the yellow perch (*Perca flavescens*) is prevalent in similar freshwater habitats.

Key Characteristics of Perch: Belong to the freshwater fish family Percidae. Usually range from 4 to 18 inches in length, depending on the species and habitat. Have a laterally compressed body with vertical stripes. Possess spiny dorsal fins and soft-rayed dorsal fins. Are bony fish, with a skeleton made of bone. Are carnivorous, feeding mainly on smaller fish, invertebrates, and aquatic insects.

Physical and Morphological Differences

Body Structure and Size
Dogfish: Characterized by a slender, elongated body optimized for swimming in open waters. They typically grow larger than perch, with some species reaching up to 4 feet.
Perch: Have a more laterally compressed, stocky body shape suitable for maneuvering in freshwater environments. Their size varies widely but generally remains smaller than dogfish.

Fins and Spines
Dogfish: Possess two dorsal fins, both often equipped with spines. Their pectoral fins are well-developed, aiding in stability.
Perch: Have a prominent dorsal fin divided into two parts: spiny and soft-rayed sections. The spiny dorsal fin provides protection against predators.

Skin and Scales
Dogfish: Have rough, sandpaper-like skin covered with placoid scales (dermal denticles) typical of sharks.
Perch: Covered with smooth, overlapping ctenoid scales, giving them a shiny, reflective appearance.

Coloration and Pattern
Dogfish: Generally have a muted coloration: grayish or brownish? adapted for camouflage in the open ocean.
Perch: Display distinctive vertical black stripes on a yellow or greenish background, aiding camouflage in freshwater habitats.

Habitat and Distribution
Dogfish Habitats: Prefer temperate and cold marine waters. Commonly found at depths ranging from shallow coastal areas to around 600 meters. Often inhabit continental shelves, sandy or muddy bottoms, and rocky reefs. Known for their adaptability and ability to tolerate low oxygen conditions.
Perch Habitats: Reside in freshwater lakes, rivers, and ponds. Favor areas with abundant vegetation, submerged structures, or rocky substrates. Usually found at depths from shallow waters to about 20 meters. Known for their ability to adapt to various freshwater environments.

Diet and Feeding Habits
Dogfish Diet: Primarily feed on small fish, cephalopods, crustaceans, and invertebrates. Use their sharp teeth to grasp and tear prey. Are opportunistic feeders, often hunting near the ocean floor or midwater.
Perch Diet: Feed mainly on small fish, aquatic insects, crustaceans, and zooplankton. Use their sharp, conical teeth to catch and consume prey. Are active predators during daylight hours and sometimes at night.

Behavioral Traits and Reproduction
Dogfish Behavior and Reproduction: Exhibit slow swimming and resting behaviors. Are known to migrate seasonally, often moving closer to shore during spawning seasons. Reproduce via internal fertilization; females give birth to live young in some species (ovoviviparity). Gestation periods can last up to 24 months, with litters ranging from 2 to 20 pups.
Perch Behavior and Reproduction: Are active swimmers, often schooling in large groups. Spawn in spring and early summer, laying eggs on submerged vegetation or structures. Are oviparous, with females laying clusters of eggs protected by silken or leathery cases.

Juvenile perch grow rapidly in their early stages.

Ecological and Economic Significance
Dogfish Contributions and Uses: Play a vital role as predators controlling populations of smaller fish and invertebrates. Are important in commercial fisheries, especially in Europe, for their meat, fins, and cartilage. Serve as model organisms in scientific research due to their resilience and biological features.
Perch Contributions and Uses: Act as key predators in freshwater ecosystems,

maintaining balanced food webs. Are highly valued by recreational anglers for sport fishing. Are consumed as food in many regions, often prepared fried, grilled, or baked.

Key Similarities Between Dogfish and Perch

Both are carnivorous fish, feeding on smaller aquatic organisms. They exhibit adaptations for predator avoidance, such as spiny fins and camouflage. Serve as important ecological components, maintaining the health of their respective aquatic ecosystems. Possess specialized teeth suited for grasping and tearing prey. Display reproductive strategies involving internal fertilization in dogfish and external egg-laying in perch.

Major Differences Summarized

Aspect	Dogfish	Perch
Taxonomic Class	Chondrichthyes (cartilaginous fish)	Osteichthyes (bony fish)
Habitat	Marine, oceanic waters	Freshwater lakes, rivers, ponds
Body Shape	Slender, elongated	Stocky, laterally compressed
Size Range	1-4 feet (depending on species)	4-18 inches
Skeleton	Cartilage	Bone
Skin Type	Rough, denticle-covered	Smooth, scaled
Coloration	Gray/brown, camouflaged	Striped, reflective
Reproduction	Live birth (ovoviviparity)	Egg-laying (oviparous)
Behavior	Migrate seasonally Schooling, territorial	

Conclusion

Understanding the differences and similarities between dogfish and perch provides valuable insights into aquatic biodiversity and ecosystem dynamics. While they inhabit vastly different environments—marine versus freshwater—they exemplify evolutionary adaptations that enable survival in their respective niches. Recognizing these traits not only enriches our appreciation for aquatic life but also informs conservation efforts, sustainable fishing practices, and ecological research. Whether you're a fisherman targeting perch in freshwater lakes or a marine biologist studying dogfish in the ocean, knowing these distinctions enhances your engagement and stewardship of aquatic environments.

Dogfish and perch differences and similarities

When exploring the diverse world of aquatic life, particularly among fish species, it's fascinating to compare and contrast different types to understand their unique adaptations, behaviors, and ecological roles. Among these, dogfish and perch are two popular species that often catch the interest of anglers, marine biologists, and aquarium enthusiasts alike. While they share some common features as freshwater or marine fish, their biological makeup, habitat preferences, and behaviors exhibit notable differences. This article provides a comprehensive review of dogfish and perch, highlighting their similarities and distinctions to offer a clear understanding of these two intriguing fish.

Overview of Dogfish and Perch

What Are Dogfish?

Dogfish are a group of small to medium-sized sharks belonging primarily to the family Squalidae. They are known for their elongated bodies, sharp teeth, and their presence in both marine and some brackish waters. The term "dogfish" refers to several species, with the spiny dogfish (*Squalus acanthias*) being among the most well-known. These sharks are predatory, feeding mainly on smaller fish, crustaceans, and invertebrates.

Key Features of Dogfish:

- Belong to the shark family, classified as cartilaginous fish.
- Typically have a slender, elongated body.
- Possess two dorsal fins, often with spines.
- Known for their resilience and widespread distribution in temperate waters.
- Have a rough, sandpaper-like skin due to placoid scales.

What Are Perch?

Perch are freshwater fish belonging to the family Percidae, widely distributed across Europe, North America,

and parts of Asia. They are popular among anglers due to their tasty flesh and are often found in lakes, rivers, and ponds. The common perch (*Perca fluviatilis*) is a typical example, characterized by its colorful appearance and distinctive markings.

Key Features of Perch: Bony fish, with a skeleton made of bone rather than cartilage. Usually have a laterally compressed body. Recognizable by their vertical black stripes on a greenish or yellowish background. Possess spiny dorsal fins and soft rays. Omnivorous or carnivorous, feeding on smaller fish, invertebrates, and insects.

Habitat and Distribution: Dogfish are predominantly marine creatures found in temperate and subarctic waters. They are common in the Atlantic Ocean, particularly along the eastern coast of North America and parts of Europe. Some species, like the spiny dogfish, prefer continental shelf regions and are known to inhabit depths ranging from shallow coastal waters to over 1,200 meters deep.

Pros: Adapt well to a range of depths and temperatures. Widely distributed, making them accessible to fisheries.

Cons: Their presence is limited to saltwater environments, reducing their habitat range compared to freshwater fish.

Perch Habitat and Distribution: Perch thrive in freshwater habitats such as lakes, ponds, and rivers. They prefer clear waters with plenty of cover like submerged vegetation or rocks. The perch's range is broad, spanning across Europe and North America, with some species adapted to specific environments like slow-moving streams or deeper lakes.

Pros: Adaptable to various freshwater environments. Easy to find in many lakes and rivers, making them popular for sport fishing.

Cons: Sensitive to water pollution and habitat degradation, which can impact populations.

Physical Characteristics and Morphology: Dogfish Physical Features Dogfish are characterized by their elongated, torpedo-shaped bodies that facilitate swift swimming. They have a cartilaginous skeleton, which makes them lighter than bony fish, aiding in buoyancy. Their skin is rough due to placoid scales, providing protection and reducing drag.

Features: Size varies; common species reach up to 1.2 meters in length. Two dorsal fins, often with spines. Sharp teeth arranged in multiple rows. Eyes are well-developed for hunting.

Advantages: Streamlined body for fast movement. Sharp teeth allow effective predation.

Disadvantages: Cartilaginous skeletons are less sturdy than bone, limiting physical support.

Perch Physical Features: Perch exhibit a laterally compressed, robust body with distinctive coloring. They have a series of spiny dorsal fins and soft-rayed dorsal fins, with the spines serving as a defense mechanism.

Features: Typically 15-50 cm in length, but larger specimens exist. Bright vertical stripes on their sides. Well-developed pectoral and pelvic fins for maneuverability. Sharp spines in dorsal fins.

Advantages: Bright coloration and markings aid in camouflage. Spiny fins provide defense against predators.

Disadvantages: Less streamlined than sharks, resulting in slower swimming speeds.

Feeding Habits and Diet: Dogfish Diet and Feeding Behavior As carnivorous predators, dogfish primarily feed on small fish, crustaceans, and invertebrates like squid. They are active hunters, relying on their keen senses and swift movements.

Feeding Features: Sharp, serrated teeth ideal for gripping prey. Nocturnal feeding patterns are common. Use electroreceptors to detect prey in murky waters.

Pros: Effective predators that play a vital role in marine food webs. Adapted to hunt a variety of prey.

Cons: Their predatory nature can lead to overfishing concerns, impacting ecosystems.

Perch Diet and Feeding Behavior: Perch are opportunistic feeders, consuming smaller fish, insects, crustaceans, and larvae. They often hunt near the bottom or among vegetation, using their keen eyesight.

Feeding Features: Small, conical teeth suited for grasping prey. Active during

daylight, but can also feed at dusk. Use ambush tactics or chase prey. Pros: Versatile diet makes them resilient in different environments. Their feeding habits help control populations of smaller invertebrates. Cons: Overpopulation of perch can lead to ecological imbalances. Reproduction and Lifespan Dogfish Reproductive Strategies Dogfish are ovoviviparous, meaning females carry fertilized eggs internally until they hatch, giving birth to live pups. Reproduction involves internal fertilization, and females often give birth to several pups at a time. Features: Gestation period can last up to two years. Pups are relatively developed at birth. Maturity is reached at around 2-3 years. Pros: Internal development provides protection for young. Low reproductive rate but high survival rate for offspring. Cons: Slow reproductive rate makes populations vulnerable to overfishing. Perch Reproductive Strategies Perch reproduce through external fertilization. During spawning, males and females release eggs and sperm into the water, where fertilization occurs. Features: Spawning typically occurs in spring. Females can lay thousands of eggs on submerged vegetation. Eggs are adhesive, sticking to plants and rocks. Pros: High reproductive output ensures species continuity. Quick maturation allows populations to recover rapidly. Cons: Eggs and fry are vulnerable to predators and environmental changes. Behavioral Differences Dogfish Behavior Dogfish are generally solitary or form small groups. They are active hunters, often traveling long distances in search of prey. Their behavior is influenced by water temperature, depth, and prey availability. Features: Nocturnal hunters. Migrate seasonally for breeding and feeding. Use electroreceptors to detect prey. Advantages: Adaptable to various depths and conditions. Efficient predators in their environment. Disadvantages: Less social behavior compared to some fish species. Perch Behavior Perch tend to be schooling fish, especially during spawning seasons. They are active during the day, often hiding among vegetation or in rocky crevices to avoid predators. Features: Schooling provides protection. Territorial during spawning. Use visual cues for communication. Advantages: Schooling enhances survival. Easy to observe and catch for anglers. Disadvantages: Vulnerable to overfishing due to predictable schooling patterns. Ecological and Economic Importance Dogfish Significance Dogfish play a crucial role in marine ecosystems as mid-level predators, helping regulate populations of smaller fish and invertebrates. They are also commercially significant, caught for their meat and fins. Pros: Contribute to the balance of marine food webs. Valuable in commercial fisheries. Cons: Overfishing can threaten their populations. Bycatch issues impact other marine species. Perch Significance Perch are important both ecologically and economically. They serve as prey for larger fish and birds and are a popular target for recreational and commercial fishing. Pros: Support local economies through fishing industries. Indicator species for water quality. Cons: Over

Question Answer

What are the main physical differences between dogfish and perch?

Dogfish are elongated, shark-like fish with a streamlined body and a pointed snout, while perch have

a laterally compressed, stocky body with a blunt head and spiny dorsal fins.

How do their habitats differ?

Dogfish are primarily found in saltwater environments like coastal waters and continental shelves, whereas perch are freshwater fish found in lakes and rivers.

Are dogfish and perch related species?

No, they belong to different classes: dogfish are cartilaginous fish (sharks), while perch are bony fish (osteichthyes).

What are the dietary differences between dogfish and perch?

Dogfish are carnivorous, feeding mainly on small fish and invertebrates, whereas perch also consume small fish, insects, and crustaceans, making their diets somewhat similar but with different prey preferences.

How do their reproductive methods differ?

Dogfish typically give birth to live young through internal fertilization, while perch lay eggs in nests or on vegetation, with external fertilization.

What are the key similarities between dogfish and perch?

Both are aquatic fish, possess fins for movement, and are important components of their respective ecosystems, serving as prey and predators.

Can dogfish and perch be confused due to their appearance?

Generally, no, because dogfish have a shark-like appearance with a streamlined body, while perch have a more rounded, laterally compressed body with spiny fins, making them distinguishable.

Which species is more commonly targeted by commercial fisheries?

Dogfish are often caught commercially for their fins and meat, while perch are popular among recreational anglers and also commercially harvested in certain regions.

Are there any similar behaviors between dogfish and perch?

Both species exhibit behaviors related to hunting and territoriality, but dogfish tend to be more

solitary and bottom-dwelling, while perch may form schools and are more active during daylight.

What are the conservation concerns for dogfish and perch?

Dogfish populations are affected by overfishing and habitat degradation, whereas perch populations can be impacted by water pollution, habitat loss, and overfishing in certain areas.

Related keywords: dogfish, perch, fish species, marine fish, freshwater fish, fish anatomy, fish habitat, fish diet, fish size, fish behavior

Dogfish shark dissection lab answers

dogfish shark dissection lab answers provide essential insights and detailed explanations that help students and educators understand the anatomy and physiology of this fascinating marine creature. Conducting a dissection lab on the dogfish shark offers a hands-on opportunity to explore the internal and external structures, fostering a deeper comprehension of vertebrate biology. This comprehensive guide covers the key components of a typical dogfish shark dissection, including preparatory steps, identification of major organs, and understanding their functions, all aligned with common lab answers to facilitate learning and assessment.

Introduction to Dogfish Shark DissectionDissecting a dogfish shark is an invaluable educational experience that reveals the complex anatomy of cartilaginous fish. The process allows students to observe structures such as the skin, muscles, skeletal system, circulatory system, digestive system, reproductive organs, and nervous system firsthand. The objective of the dissection lab is to identify, examine, and understand the function of these structures, which are integral to the shark's survival and adaptation in its marine environment.

Preparation for the DissectionBefore beginning the dissection, students should gather all necessary tools, including scissors, scalpels, dissection pins, forceps, and gloves. Proper safety precautions must be observed, such as handling sharp instruments carefully and wearing protective gear. The shark specimen is typically preserved in a fixative solution, which may influence tissue handling and identification.

External Anatomy of the Dogfish SharkUnderstanding the external features is foundational for locating internal organs. Key external features include:

- Snout:** The pointed anterior part of the shark used for sensing and navigation.
- Gill slits:** Multiple openings on each side for respiration.
- Fins:** Including dorsal fins (dorsal 1 and dorsal 2), pectoral fins, pelvic fins, anal fin, and caudal (tail) fin, which aid in movement and stability.
- Claspers:** Reproductive organs found in males, located near the pelvic fins.

Internal Anatomy and Key StructuresDissection involves opening the body cavity to explore internal organs. The answers to common lab questions typically cover the identification and function of these critical structures.

1. Skin and Muscular SystemThe shark's skin is covered with dermal denticles that reduce drag. Underlying muscle layers include the

myomeres, which facilitate swimming.

2. **Skeletal System** Composed of cartilage rather than bone, providing lightweight support. The vertebral column runs along the dorsal side, supporting the body.

3. **Respiratory System** The gill arches support the gill filaments, which are rich in blood vessels for gas exchange. The gills are located beneath the operculum and are essential for respiration.

4. **Circulatory System** The heart is a two-chambered structure (one atrium and one ventricle). Blood flows from the heart through arteries to gill filaments, then to the rest of the body via the dorsal aorta. Key points: Deoxygenated blood enters the atrium. Blood is pumped into the ventricle. Oxygenated blood leaves the gills via the dorsal aorta.

5. **Digestive System** The mouth leads to the esophagus, then the stomach. The stomach is J-shaped, connected to the pyloric stomach and intestine. The liver is large and lobed, producing bile and aiding in digestion. The pancreas produces enzymes for digestion. The cloaca is the common exit for digestive, excretory, and reproductive systems.

6. **Nervous System** The brain is relatively small but divided into regions: forebrain, midbrain, and hindbrain. The spinal cord runs along the dorsal side of the body. Nerves extend to various body parts to control movement and sensory input.

7. **Reproductive System** Males have claspers for internal fertilization. Females possess ovaries and oviducts. The reproductive organs are located near the kidneys.

Common Dissection Lab Questions and Answers To aid in understanding, here are typical questions and their detailed answers:

Q1: How can you identify the liver in a dogfish shark? The liver is a large, dark, lobed organ occupying most of the shark's anterior body cavity. It is easily distinguished by its size and dark coloration, which contrasts with other internal organs. The liver produces bile, aiding in digestion of fats.

Q2: What is the function of the gills? The gills are responsible for respiration, allowing the shark to extract oxygen from water and expel carbon dioxide. Water passes over the gill filaments, where gas exchange occurs via diffusion.

Q3: Describe the pathway of food from the mouth to the intestine. Food enters through the mouth, passes down the esophagus to the stomach, where digestion begins. The stomach is connected to the pyloric stomach and then the intestine, which absorbs nutrients. Waste is expelled through the cloaca.

Q4: How do the shark's fins aid in movement? The dorsal fins provide stability during swimming. The pectoral fins help in steering and lift. The caudal fin generates thrust, propelling the shark forward.

Q5: What structures are involved in the shark's sense of smell? The shark's olfactory bulbs, connected to the nasal sacs, are highly developed and enable the shark to detect chemical signals in the water, crucial for hunting and navigation.

Summary of Key Dissection Steps and Answers

External examination: Identify fins, gill slits, and the snout.

Opening the body cavity: Use scissors to carefully cut along the midline.

Locating organs: Identify the liver, stomach, heart, gills, kidneys, reproductive organs, and brain.

Analysis and function: Understand each organ's role based on its structure and location.

Additional Tips for a Successful Dissection Always handle sharp instruments with care. Take detailed notes and label organs during dissection. Compare structures with diagrams and models for better understanding. Respect the specimen and follow ethical dissection practices.

Conclusion Understanding the anatomy of the dogfish shark

Dogfish Shark Dissection Lab Answers: An In-Depth Exploration of Anatomy and Function

a dogfish shark offers students and enthusiasts a unique window into the complex world of aquatic vertebrate anatomy. This hands-on experience enhances understanding of evolutionary adaptations, organ systems, and ecological roles that shape marine life. While the process can seem daunting, a comprehensive guide to the dissection?complete with detailed answers?serves as an invaluable resource to deepen comprehension and facilitate learning. This article aims to provide a thorough review of common dissection lab questions, exploring the anatomy and physiology of the dogfish shark with clarity and analytical insight.

Understanding the Purpose of the Dissection

Dissection labs serve multiple educational objectives. They allow students to:

- Visualize internal structures that are otherwise hidden.
- Understand the spatial relationships between organs and systems.
- Recognize evolutionary links between cartilaginous fishes and other vertebrates.
- Develop practical skills in dissection techniques and anatomical identification.

In the context of the dogfish shark, these goals help clarify how a cartilaginous fish functions within its environment, and how its anatomy supports its survival strategies.

External Anatomy and Identification

Before delving into internal structures, it's vital to understand the external features of the dogfish shark.

Key External Features

- Dorsal Fins:** Typically two dorsal fins stabilize the shark during swimming.
- Pectoral Fins:** Located near the head, aiding in steering.
- Pelvic Fins:** Situated on the underside, near the cloaca, providing stability.
- Caudal (Tail) Fin:** The large, heterocercal fin propels the shark forward.
- Gill Slits:** Usually five pairs on each side, vital for respiration.
- Snout and Mouth:** The pointed snout houses sensory organs; the mouth is located ventrally.
- Eyes and Spiracles:** Eyes provide vision; spiracles (located behind the eyes) assist in respiration when the shark is stationary.

Dissection Tip:

When preparing for internal examination, carefully note the position and structure of these external features as they relate to internal organ placement.

Internal Anatomy: Major Organ Systems

The internal anatomy of the dogfish shark reveals a sophisticated array of organ systems designed for efficient survival in marine environments. Key systems include the digestive, respiratory, circulatory, nervous, reproductive, and excretory systems.

Digestive System Overview:

The digestive tract runs from the mouth through the esophagus, stomach, intestines, to the cloaca.

Dissection Answers & Key Features:

- Mouth and Pharynx:** The mouth contains rows of teeth adapted for grasping and cutting prey.
- Esophagus:** A muscular tube transporting food to the stomach.
- Stomach:** A J-shaped organ where initial digestion occurs; often enlarged in sharks due to their carnivorous diet.
- Liver:** Large, lobed, and often yellowish; produces bile and helps in buoyancy regulation.
- Intestines:** Coiled and connected to the stomach; involved in nutrient absorption.
- Pancreas:** Located near the intestine; secretes digestive enzymes and insulin.
- Rectal Gland:** Excretes excess salt, aiding in osmoregulation.

Educational Point:

The shark's digestive system reflects its carnivorous diet, optimized for rapid processing of protein-rich prey.

Respiratory System Key Structures:

- Gills:** Located beneath the pharyngeal slits; responsible for gas exchange.
- Gill Rakers:** Filter particles from water as it passes over the gills.
- Spiracles:** Small openings behind the eyes that facilitate water intake during stationary respiration.

Dissection insights:

The gill arches and filaments are delicate structures; understanding their arrangement helps explain how sharks efficiently oxygenate blood in a low-oxygen environment.

Circulatory System Main Components:

- Heart:** Located ventrally, composed of a muscular chamber with sinus venosus, atrium, and ventricle.
- Blood Vessels:** Including the ventral aorta, afferent and efferent branchial arteries, and

dorsal aortae. Blood: Contains hemoglobin, transporting oxygen and nutrients. Analytical Note: The shark's closed circulatory system and efficient heart allow sustained swimming and active predation. Nervous System Components: Brain: Divided into forebrain, midbrain, and hindbrain; processes sensory information. Nerves: Including the spinal nerves extending from the spinal cord. Sensory Organs: Lateral line system detects vibrations; ampullae of Lorenzini sense electrical fields. Dissection perspective: The sensory adaptations highlight the shark's reliance on electroreception and mechanoreception for hunting and navigation. Reproductive System Types: Sharks exhibit oviparous, ovoviviparous, or viviparous modes. Structures: Ovaries and Oviducts: In females, produce and transport eggs. Testes: In males, produce sperm. Claspers: Modified pelvic fins in males used during reproduction. Lab insight: Identifying reproductive organs helps understand the species' reproductive strategies and lifecycle. Excretory System Main Structures: Kidneys: Paired, elongated organs involved in osmoregulation and waste excretion. Rectal Gland: Also plays a role in salt excretion. Functional understanding: The excretory system maintains internal balance in a salty environment, vital for survival.

Common Dissection Questions and Analytical Answers

Dissection labs are rife with questions designed to test understanding. Here are some typical questions with detailed answers:

1. Why do sharks have a large liver, and what is its function? Answer: The large liver in sharks is primarily composed of lipid-rich tissue, which provides buoyancy in the absence of a swim bladder. Unlike bony fishes, sharks rely on their liver's oil content to maintain position in the water column. Additionally, the liver produces bile necessary for digestion and stores energy reserves.
2. How does the structure of the shark's gills facilitate respiration? Answer: The gills are composed of multiple gill arches and filaments that increase surface area for gas exchange. As water passes over the gill filaments, oxygen diffuses into the blood while carbon dioxide diffuses out. The countercurrent exchange mechanism where blood flows in the opposite direction to water maximizes oxygen uptake efficiency.
3. What are the functions of the ampullae of Lorenzini, and where are they located? Answer: The ampullae of Lorenzini are specialized electroreceptors located on the shark's snout. They detect electric fields generated by other organisms, aiding in prey detection, navigation, and orientation. This adaptation is crucial for hunting in murky or dark waters.
4. How do the shark's reproductive organs differ between males and females? Answer: Males possess claspers, modified pelvic fins used to internally transfer sperm during mating. Females have ovaries and oviducts that produce and transport eggs (in oviparous species) or develop embryos internally (in viviparous species). The presence of claspers is a key external indicator of sex in sharks.
5. Explain the process of digestion in the shark, from ingestion to nutrient absorption. Answer: The shark ingests prey through its mouth, which is equipped with sharp teeth. Food travels down the esophagus to the stomach, where enzymes and gastric acids begin digestion. Partially digested food moves into the intestines, where nutrient absorption occurs. The liver produces bile to emulsify fats, and the pancreas secretes digestive enzymes. Waste is expelled via the cloaca.
6. How does the shark's circulatory system support its active predatory lifestyle? Answer: The shark's closed circulatory system, featuring a muscular heart, ensures efficient oxygen and nutrient delivery to tissues. The heart's structure allows for sustained swimming and quick responses during hunting. The blood's hemoglobin content enhances oxygen transport, supporting high metabolic demands.

Evolutionary and Ecological Significance

Dissecting the dogfish shark not only illuminates

its anatomy but also fosters appreciation for evolutionary biology. As cartilaginous fishes, sharks are among the earliest jawed vertebrates, providing insights into vertebrate evolution. Their specialized organs reflect adaptations to a predatory, marine lifestyle, such as electroreception, buoyancy regulation, and efficient respiration. Ecologically, sharks play a pivotal role as apex predators, maintaining the health of marine ecosystems by regulating prey populations. Understanding their anatomy helps in conservation efforts, especially as many shark species face threats from overfishing and habitat loss.

Conclusion: Integrating Knowledge Through Dissection The dissection of a dogfish shark offers a comprehensive platform for learning vertebrate anatomy, physiology, and evolutionary biology. The detailed answers to common lab questions enable students to grasp complex concepts, fostering analytical thinking and scientific curiosity. By correlating structure with function, learners develop a deeper understanding of how sharks thrive in their aquatic niches.

QuestionAnswer

What are the key external features to identify on a dogfish shark during dissection?

Key external features include the dorsal fins, pectoral fins, pelvic fins, caudal fin, gill slits, mouth, and snout. Noting the placement and size of these features helps in understanding shark anatomy.

Where are the gill slits located on the dogfish shark and what is their function?

The gill slits are located on the sides of the shark, just behind the head. They allow water to pass over the gills for respiration, facilitating gas exchange.

How do you identify the liver in the dissection, and what is its function?

The liver is a large, dark, lobed organ located in the anterior part of the shark's body cavity. Its functions include buoyancy regulation, fat storage, and producing digestive enzymes.

What structures are part of the shark's digestive system, and how are they connected?

The digestive system includes the mouth, esophagus, stomach, pyloric caeca, and intestines. The esophagus connects the mouth to the stomach, which then connects to the intestines for nutrient absorption.

How can you distinguish the shark's reproductive organs during dissection?

In females, the ovaries are paired and located near the kidneys, often appearing as elongated, yellowish structures. Males have paired testes, which are smaller and located near the kidneys as

well.

What is the function of the shark's spiracles, and where are they located?

Spiracles are small openings located behind the eyes that allow water to bypass the gills and pass directly over them, aiding in respiration, especially when the shark is stationary.

Describe the structure and function of the shark's claspers.

Claspers are modified pelvic fins found only in males, used to transfer sperm to the female during mating.

What are the main features of the shark's nervous system visible during dissection?

The main features include the brain, located in the head, and the spinal cord running along the dorsal side of the body. Nerves branch out to control sensory and motor functions.

How do you identify the shark's kidney, and what is its role?

The kidneys are elongated, dark-colored organs located along the dorsal body cavity. They are responsible for excretion and osmoregulation.

Why is the liver so large in a dogfish shark, and how does it aid in its buoyancy?

The large liver is rich in oils, which produce a buoyant force, helping the shark maintain neutral buoyancy in water without a swim bladder.

Related keywords: dogfish shark anatomy, shark dissection guide, fish dissection lab, shark anatomy answers, marine biology dissection, shark dissection worksheet, fish anatomy lab, shark anatomy quiz, marine dissection procedures, fish dissection answers

Arrangement of myotomes in dogfish sharks

Arrangement of myotomes in dogfish sharks is a fascinating aspect of their muscular and skeletal structure that provides insight into their locomotion, evolutionary biology, and functional anatomy. Understanding how myotomes are organized in these cartilaginous fish not only enhances our knowledge of their biology but also offers comparative perspectives relevant to vertebrate

musculature. This article delves into the detailed arrangement of myotomes in dogfish sharks, exploring their developmental aspects, structural features, and functional significance.

Introduction to Myotomes in Vertebrates

Myotomes are blocks of muscle tissue that develop from somites—segmented structures of mesoderm present in the embryonic stage of vertebrates. In adult vertebrates, myotomes typically differentiate into specific muscle groups that facilitate movement and support posture. In fish, including sharks, myotomes are especially prominent and are arranged in a characteristic pattern that reflects their mode of swimming and evolutionary lineage. The arrangement of myotomes forms the muscular architecture critical for their rapid and agile movements in aquatic environments.

Development of Myotomes in Dogfish Sharks

During embryonic development, somites form sequentially along the head-to-tail axis of the embryo. These somites differentiate into three main regions:

- Dermomyotome:** gives rise to the dermis and myotomes
- Sclerotome:** develops into vertebral and rib cartilage
- Myotome:** develops into skeletal muscle tissue

In dogfish sharks, the myotomes originate from the myotome portion of the somites and develop into segmented muscle blocks that are arranged along the axial skeleton.

Structural Features of Myotomes in Dogfish Sharks

Segmentation and Pattern

The myotomes in dogfish sharks are arranged in a segmented pattern along the length of the body, creating a series of muscular blocks. These blocks are symmetrically distributed on either side of the vertebral column, forming a bilateral arrangement that is crucial for coordinated movement.

Myotome Types

The myotomes in dogfish sharks can be broadly classified into two types based on their position and structure:

- Epaxial Myotomes:** Located dorsal to the vertebral column, these myotomes are responsible for dorsal flexion and lateral movements.
- Hypaxial Myotomes:** Situated ventral to the vertebrae, these contribute to ventral flexion and swimming propulsion.

Myosepta and Connective Structures

Myosepta are connective tissue partitions that separate individual myotomes, providing structural support and facilitating muscle contraction. In dogfish sharks, these are prominent and run longitudinally, anchoring muscle fibers and transmitting force during movement.

Arrangement Pattern of Myotomes in Dogfish Sharks

Myotomal Segmentation

The myotomes in dogfish sharks are arranged in a serial fashion, forming a series of blocks that extend from the head region to the tail. Each somite gives rise to a pair of myotomes, which are then organized into:

- Epaxial series:** Dorsal myotomes, forming the epaxial muscles
- Hypaxial series:** Ventral myotomes, forming hypaxial muscles

This segmentation is highly conserved in cartilaginous fishes and is essential for their undulatory swimming motion.

Myotome Shape and Size

In dogfish sharks, myotomes are generally wedge-shaped or rhomboid, with the broad part facing laterally and the narrow end attaching to the myosepta. The size of myotomes varies along the body: they tend to be larger and more developed in the trunk and tail regions, facilitating powerful movements.

Arrangement along the Body Axis

The myotomes are arranged in a staggered or overlapping pattern, which allows for smooth, wave-like movements during swimming. This arrangement supports the lateral undulations characteristic of shark locomotion.

Functional Significance of Myotome Arrangement

Locomotion

The segmentation and arrangement of myotomes enable dogfish sharks to produce efficient undulatory movements. The coordinated contraction of epaxial and hypaxial muscles produces lateral flexions that propel the shark through water.

Flexibility and Strength

The arrangement provides a balance between flexibility and strength. The segmentation allows for bending and twisting, essential for

maneuverability, while the structural organization ensures the necessary force for propulsion.

Evolutionary PerspectiveThe arrangement of myotomes in dogfish sharks reflects their evolutionary history as early jawed fishes. Their segmented musculature is similar to that of other vertebrates, illustrating the conserved nature of somite development and muscle organization across vertebrate lineage.

Comparison with Other Fish and Vertebrates

Myotome Arrangement in Bony FishIn bony fish, the myotomal pattern is more complex, with increased segmentation and specialization of muscle groups, often reflecting different swimming styles.

Myotomes in TetrapodsIn terrestrial vertebrates, myotomal muscles become more differentiated and are associated with limb movements and posture, contrasting with the primarily axial functions in sharks.

Evolutionary SignificanceThe conserved nature of myotome segmentation highlights an ancient developmental pattern that has been adapted over millions of years to suit various locomotion modes.

ConclusionThe arrangement of myotomes in dogfish sharks exemplifies a highly organized, segmented muscular architecture that underpins their aquatic locomotion and evolutionary heritage. Their bilateral, segmented pattern of epaxial and hypaxial muscles facilitates efficient undulatory swimming, providing both flexibility and power. Studying these arrangements offers valuable insights into vertebrate musculature development, functional anatomy, and evolutionary biology. Understanding the detailed pattern of myotomes in sharks not only enriches our knowledge of their biology but also contributes to broader comparative studies across vertebrates, illustrating how muscular systems adapt to different environments and modes of movement. As research advances, further exploration into the molecular and developmental mechanisms guiding myotome formation will continue to shed light on the complexity and elegance of vertebrate musculature.

Arrangement of Myotomes in Dogfish Sharks: An In-Depth AnalysisThe arrangement of myotomes in dogfish sharks offers a fascinating glimpse into the musculature and locomotive adaptations of cartilaginous fishes. Myotomes, the segmented blocks of muscle tissue that develop along the body axis, play a crucial role in enabling sharks to swim efficiently and sustain their active predatory lifestyle. Understanding their arrangement provides insights into vertebrate muscular evolution, functional morphology, and the biomechanics of swimming. This article explores the detailed structure, developmental patterns, and functional significance of myotomes in dogfish sharks, drawing on comparative anatomy and embryological studies.

Introduction to Myotomes in VertebratesMyotomes are segmented blocks of muscle tissue that originate from somites, paired blocks of mesodermal tissue located alongside the neural tube during embryonic development. In vertebrates, myotomes serve as the precursors to skeletal muscles, especially those involved in movement and posture. The arrangement and segmentation of myotomes vary significantly among different classes of vertebrates, reflecting their diverse locomotive strategies and evolutionary histories.

In fish, particularly cartilaginous species such as dogfish sharks (*Squalus acanthias*), myotomes form the foundational musculature of the axial skeleton, contributing to swimming propulsion. Their arrangement is uniquely adapted to the aquatic environment, with a segmented pattern facilitating undulatory swimming motions.

Developmental Origins of Myotomes in Dogfish

Sharks Understanding the developmental origins of myotomes in dogfish sharks is vital to appreciating their adult configuration. During embryogenesis, somites form sequentially along the neural tube, differentiating into dermomyotomes and sclerotomes. The dermomyotomes give rise to the myotomes, which subsequently differentiate into muscle tissues. In dogfish sharks, the process begins with the segmentation of the paraxial mesoderm into somites, typically in a rostral-caudal sequence. These somites then differentiate into:

- Epaxial myotomes:** the dorsal muscle blocks responsible for dorsiflexion and stabilization.
- Hypaxial myotomes:** ventral muscle blocks involved in movements such as lateral bending.

This segmentation pattern sets the basis for the adult musculature arrangement, with the myotomes aligned along the length of the body, providing both structural support and locomotive power.

General Arrangement of Myotomes in Dogfish Sharks

The musculature of dogfish sharks is characterized by a highly organized, segmented arrangement of myotomes that run longitudinally along the body. These myotomes are layered and patterned in a manner that facilitates efficient undulatory swimming. The key features include:

- Segmental pattern:** Myotomes are arranged in serial segments along the body, mirroring the somite pattern during development.
- Bilateral symmetry:** Each side of the body features a mirror-image arrangement of myotomes, ensuring balanced movement.
- Myosepta:** Connective tissue partitions called myosepta separate each myotome, providing structural integrity and facilitating muscle contraction. This segmentation allows the shark to generate ripple-like waves along its body, propelling it through the water with minimal energy expenditure.

Structural Details of Myotome Arrangement

The detailed architecture of myotomes in dogfish sharks can be subdivided into several aspects:

- Number and Composition of Myotomes**
 - Number of myotomes:** In adult dogfish sharks, the number of myotomes varies along the body but generally ranges from approximately 50 to 60 pairs.
 - Size variation:** Anterior myotomes tend to be larger and more robust, supporting head and anterior body movements, while posterior myotomes gradually decrease in size as the body tapers.
- Myosepta and Segmentation**
 - Myosepta:** These are connective tissue sheets that partition each myotome from its neighbors. They serve to transmit force during muscle contraction and maintain the integrity of the segmented musculature.
 - Segmentation pattern:** The myosepta are arranged in a regular, repetitive pattern, creating a series of muscle blocks that span the length of the body.
- Myotome Types and Differentiation**
 - Epaxial muscles:** Located dorsally, these myotomes are involved in dorsal flexion and stabilization during swimming.
 - Hypaxial muscles:** Found ventrally, these contribute to lateral bending and propulsion.
 - Intermuscular septa:** Connective tissues between epaxial and hypaxial muscles facilitate coordinated movements.
- Arrangement of Myomeres**
 - Myomeres** are the visible, V-shaped muscle segments seen on the lateral surface. They are formed by the underlying myotomes and myosepta, giving the characteristic zig-zag appearance.

Functional Significance of Myotome Arrangement

The specific arrangement of myotomes in dogfish sharks is intimately linked to their swimming mechanics and ecological adaptations.

- Facilitating Undulatory Swimming**
 - The segmentation allows for the propagation of lateral waves along the body, which push against the water to generate thrust.
 - The serial arrangement of myotomes, connected by myosepta, ensures synchronized contraction and relaxation, producing smooth undulations.
- Enhancing Flexibility and Range of Motion**
 - The segmentation provides flexibility, allowing the shark to perform complex movements such as turning, banking, and hovering.
 - The arrangement also accommodates muscle

growth and repair, maintaining functional efficiency.

3. Structural Support and Force Transmission

The connective tissue partitions (myosepta) transmit forces generated by muscle contraction efficiently to the axial skeleton. This setup minimizes energy loss and maximizes propulsion efficiency.

4. Evolutionary Adaptations

The segmented myotome pattern reflects an evolutionary adaptation from primitive chordates to modern cartilaginous fishes, optimizing for an active, predatory lifestyle. Comparative studies suggest that the arrangement of myotomes in sharks shares similarities with that of other fish groups, indicating a conserved evolutionary pattern.

Comparative Perspectives: Dogfish Sharks and Other Vertebrates

Understanding the arrangement of myotomes in dogfish sharks provides a broader context within vertebrate musculature evolution.

1. Sharks vs. Bony Fish

While both groups display segmented myotomes, sharks tend to have more uniform and repetitive segments suited to their undulatory swimming style. Bony fishes often show greater differentiation and specialization of myotomes, correlating with diverse locomotive behaviors.

2. Sharks vs. Tetrapods

In terrestrial vertebrates, myotomes are less visibly segmented externally but are still arranged in a segmented pattern internally, especially in the trunk and limb musculature. The transition from aquatic to terrestrial locomotion involved modifications in myotome arrangement, emphasizing limb muscles over axial segmentation.

3. Evolutionary Implications

The conserved nature of myotome segmentation across vertebrates underscores its fundamental role in vertebrate locomotion. Variations reflect adaptations to different environments, movement styles, and body plans.

Research and Methodologies in Studying Myotome Arrangement

Advances in embryology, imaging, and histological techniques have enriched our understanding of myotome arrangement in dogfish sharks.

Histological studies:

Staining and microscopy reveal the detailed muscle fiber arrangements and connective tissue partitions.

Embryological analysis:

Observing developing embryos illuminates the ontogeny of myotome segmentation.

Imaging techniques:

MRI and CT scans facilitate three-dimensional visualization of musculature and connective tissue patterns.

Comparative anatomy:

Cross-species analyses highlight evolutionary trends and functional adaptations.

Conclusions and Future Directions

The arrangement of myotomes in dogfish sharks exemplifies a highly organized, segmentally arranged musculature optimized for their aquatic environment and locomotive needs. This muscular segmentation not only underpins efficient swimming but also offers a window into the evolutionary history of vertebrate musculature. Future research integrating genetic, developmental, and biomechanical approaches promises to deepen our understanding of how these muscular arrangements contribute to the versatility and adaptability of sharks and other vertebrates. In particular, exploring how genetic regulation influences myotome segmentation and how these patterns vary among different shark species could shed light on evolutionary plasticity. Additionally, biomechanical modeling of myotome function could inform bio-inspired engineering designs, such as flexible underwater robots mimicking shark locomotion. The comprehensive study of myotome arrangement in dogfish sharks underscores the intricate relationship between form, function, and evolution in vertebrate musculature, emphasizing the importance of segmentation and connective tissue architecture in facilitating life in diverse environments.

QuestionAnswer

What is the general arrangement of myotomes in dogfish sharks?

In dogfish sharks, the myotomes are arranged in a segmented, W-shaped pattern along the body, forming a series of paired muscle blocks separated by myosepta.

How are the myotomes in the tail region of dogfish sharks organized?

In the tail region, the myotomes are more elongated and run longitudinally, providing the necessary flexibility and movement for swimming.

Are the myotomes in dogfish sharks arranged symmetrically?

Yes, the myotomes in dogfish sharks are arranged symmetrically on either side of the vertebral column, forming paired segments.

What is the significance of the W-shaped pattern of myotomes in dogfish sharks?

The W-shaped pattern allows for efficient muscle contraction and flexibility, facilitating powerful and controlled swimming movements.

How do the myotomes in the trunk differ from those in the tail of dogfish sharks?

In the trunk, myotomes are more segmented and arranged in a regular pattern, whereas in the tail, they become elongated and less segmented to support tail movement.

Are the myotomes in dogfish sharks segmented or unsegmented?

The myotomes are segmented, forming distinct muscle blocks separated by connective tissue called myosepta.

What role do myosepta play in the arrangement of myotomes in dogfish sharks?

Myosepta serve as connective tissue partitions that separate adjacent myotomes, providing structural support and facilitating muscle contraction.

How does the arrangement of myotomes aid in the locomotion of dogfish sharks?

The segmented, W-shaped arrangement of myotomes allows for coordinated contraction and

relaxation, enabling efficient, flexible swimming.

Is the arrangement of myotomes in dogfish sharks similar to that in other fish?

Yes, many fish exhibit a similar segmented arrangement of myotomes, which is characteristic of vertebrate muscular organization for swimming.

What developmental processes influence the arrangement of myotomes in dogfish sharks?

During development, somitogenesis and myotome differentiation lead to the segmented pattern of myotomes, guided by the somitic mesoderm and neural crest interactions.

Related keywords: dogfish shark, myotome segmentation, fish musculature, shark anatomy, myotome development, vertebral column, muscle arrangement in sharks, fish myology, shark musculature pattern, skeletal muscles in cartilaginous fish